

**School (K-12) Immunization Requirements in Arizona**  
**2013-2014 School Year for Children 7 to 10 Years of Age**

Immunizations	1 <sup>st</sup> Dose	2 <sup>nd</sup> Dose	3 <sup>rd</sup> Dose	4 <sup>th</sup> Dose	5 <sup>th</sup> Dose
<b><u>(DTaP/DTP) Diphtheria, Tetanus &amp; Pertussis, (DT) Diphtheria &amp; Tetanus, Td (Tetanus &amp; Diphtheria)</u></b>	Required	Required	Required	Required if dose #1 was given before 12 months of age.	
An interval of at least 4 weeks is required between the first doses of <b>DTaP/DTP/DT/Td</b> . An interval of 6 months is required between the last two doses.					
<b><u>(IPV/OPV) Polio</u></b>	Required	Required	Required	Required if the first three doses were all given before age 4.	
An interval of at least 4 weeks is required between all <b>Polio</b> doses. Refer children for the final dose 6 months after the previous dose, per new recommendations. <b><u>Children who received 4 Polio doses spaced 4 weeks apart are not required to repeat any doses.</u></b>					
<b><u>(MMR) Measles, Mumps, &amp; Rubella</u></b>	Required	Required			
<b>MMR #1</b> is due at 12-15 months of age. An interval of 4 weeks is required between MMR #1 and MMR #2. Doses of varicella vaccine and MMR must be separated by at least 28 days unless they are administered on the same day.					
<b><u>(Hep B) Hepatitis B</u></b>	Required	Required	Required Must be at least 24 weeks of age.	Required only if dose #3 was given before 24 weeks of age.	
<b>Hep B #1</b> may be given at birth. Dose #2 is due 4-8 weeks after dose #1. Dose #3 is due 2-5 months after dose #2, at least 4 months after dose #1 and no sooner than 24 weeks of age. A 2-dose adolescent series may be given to children 11-15 years of age over a 4-6 month period.					
<b><u>Varicella (Chicken Pox)</u></b>	Required	<b><u>Recommended</u></b> <b><u>Not required.</u></b>			
Only students who entered school or childcare in Arizona prior to 9/1/2011 with parental recall of chicken pox disease are allowed to continue attending school in Arizona without proof of varicella immunization or exemption. After 9/1/2011 children whose health care providers can document their history of chicken pox need to obtain a medical exemption signed by the physician. Doses of varicella vaccine and MMR must be separated by at least 28 days unless they are administered on the same day.					